

- Epoxy Coating Tools
- Concrete Tools



2023

Direct Market Co., Ltd

Address: Longxishunjin Glg 1-105, Jianshou Road, Liuyang Industrial Park, Changsha, Huanan, China 410300

Mobile: +86 18173135020 Tel: +86-137-87209092 / 731--82806590 Fax: +86-731--82806580

Website: www.spikedroller.com Email: info@spikedroller.com; siekabin@gmail.com

• Epoxy Coating Tools

Spiked Roller Stainless handle

Used to prevent unevenness when coating; to release the gas bubble on freshly applied floor coatings.



Item No.	Size	Remark
D809A	10in x 11mm	no splash guard
D806A	10in x 13mm	no splash guard
D820A	10in x 20mm	no splash guard
D803B	10in x 28mm	no splash guard
D835B	10in x 35mm	no splash guard
D840B	10in x 40mm	no splash guard
D803N	18in x 28mm	no splash guard
D806N	18in x 13mm	no splash guard
D809B	20in x 11mm	no splash guard
D806B	20in x 13mm	no splash guard
D820B	20in x 20mm	no splash guard
D803C	20in x 28mm	no splash guard
D835C	20in x 35mm	no splash guard
D840C	20in x 40mm	no splash guard
D803D	32in x28mm	no splash guard



D820-1	250x11mm	with splash guard
D820-2	250x21mm	with splash guard
D820-3	250x31mm	with splash guard
D820-4	500x11mm	with splash guard
D820-5	500x21mm	with splash guard
D820-6	500x31mm	with splash guard
D820-10	500x50mm	with splash guard(steel
D820-7	750x11mm	with splash guard
D820-8	750x21mm	with splash guard
D820-9	750x31mm	with splash guard
D820-11	750x50mm	with splash guard(steel

Spiked Roller ajustable frame



Item No.	Size
D809F	20in x 11mm
<i>Aluminum threaded yoke frame, length ajustable</i>	

L1109	300-550mm
-------	-----------

Remark

aluminum frame,length adjustable



Spiked Roller Single Handle

To release the air bubble on freshly epoxy screed flooring, as well as assisting leveling process.



Item No.	Size	Remark
D809E	4in x 11mm	single side handle
D806E	4in x 13mm	single side handle
D803G	4in x 28mm	single side handle
D809D	7in x 11mm	single side handle
D806D	7in x 13mm	single side handle
D803F	7in x 28mm	single side handle
D809C	9in x 11mm	single side handle
D806C	9in x 13mm	single side handle
D803E	9in x 28mm	single side handle
D835E	9in x 35mm	single side handle
D840E	9in x 40mm	single side handle

Spiked Roller -round tip end

To release the air bubble on freshly epoxy screed flooring, as well as assisting leveling process.



Item No.	Size	Remark
D815E	4in x 11mm	single side handle,round tip end
D815D	7in x 11mm	single side handle,round tip end
D815C	9in x 11mm	single side handle,round tip end
D815A	10in x 11mm	two-side handle,round tip end
D815B	20in x 11mm	two-side handle,round tip end

Stainless Steel Spiked Roller

Stainless steel tined, long lasting.




Hot

D821-1	180x13mm
D821-2	180x19mm
D821-3	180x26mm
D821-4	250x13mm

D821-5	250x19mm
--------	----------

D821-6	250x26mm
--------	----------



Hot

D822-1	250x13mm
D822-2	250x19mm
D822-3	250x26mm
D822-4	500x13mm

D822-5	500x19mm
--------	----------

D822-6	500x26mm
D822-7	750x13mm
D822-8	750x19mm
D822-9	750x26mm

Spiked Shoes

Spikes allow walking on wet coatings like epoxy, chemical resins or acrylic fresh coating without leaving footprints.



Item No.	Size	Remark
D290	290mm x 26mm	spiked shoes, PP (nylon optional)
D290-1	spikes height 40mm	spiked shoes
D290-2	290mm x 26mm	spiked shoes, NYLON
D290S	55cm/pc x 4pcs	Straps replacement
D290A	26mm	spare spikes
D290B	40mm	spare spikes



D268

Metal Spike Sandals



D269

Spiked Shoes, Flexible Rubber

Spikes allow walking on wet coatings like epoxy,chemical resins or acrylic fresh coating without leaving footprints.



New

Item No.	Size	Remark
D270	290mm x 26mm	spiked shoes,Flexible Rubber

Aluminum Shoes



D280	aluminum shoes	33x19.5cm
------	----------------	-----------



D280-1	ABS shoes,33x19.5cm
--------	---------------------

Notched Squeegee

To spread the epoxy resin over the base so that an even thickness is achieved.



item No.	Size	Remark
82903		body only
82903A	sqr=3mm	blade replacement
82905A	sqr=5mm	blade replacement
82908A	sqr=8mm	blade replacement
82901-1		

Serrated Squeegee

To spread the epoxy resin over the base so that an even thickness is achieved.



item No.	Size	Remark
83002		body only
830021A	V=1mm	blade replacement
830022A	V=2mm	blade replacement
830023A	V=3mm	blade replacement
830025A	V=5mm	blade replacement
830028A	V=8mm	blade replacement



83002-2

Floor Dust Scraper

To spread the epoxy resin over flooring.



83004	600mm
-------	-------

Floor Dust Scraper

To get the dust together after machine grining.



83005	size=120cm
-------	------------

Double Edged Tooth Rake

For self leveling floor to settled thickness length=60cm



Item No.	Size	Remark
83103	V=3mm	blade replacement No. 83103A
83104	V=4mm	blade replacement No. 83104A
83105	V=5mm	blade replacement No. 83105A
83106	V=6mm	blade replacement No. 83106A
83107	V=7mm	blade replacement No. 83107A

Pin Leveller Adjustable

Adjustable pin Levelers spread flooring overlay compounds in one easy application.

Ideal for thick layers of screed or screed with fibers having good flow. Pin height can be adjusted from 0mm~10mm.



Item No.	Size	Remark
802-1	Length=600mm	Pin height adjustable 0-10mm
802-2	Length=800mm	Pin height adjustable 0-10mm

Gauge rake

Apply for cement-based toppings or overlays, with adjustable sled to work for coating in different thickness.



Item No.	Size	Remark
832	Length=800mm	Wire sled height adjustable 6-30mm

Gauge Rake Leveler

It is s used to apply self-leveling floor coatings and lower viscosity materials.



Item No.	Size	Remark
844	Length=600mm	sled height adjustable 6-30mm

Soft Rubber Trowel

Soft rubber blade, handle adaptor thread dia 20mm



Item No.	Size	Remark
RSL30-18	Length=18cm	soft rubber blade
RSL30-25	Length=25cm	soft rubber blade
RSL30-36	Length=36cm	soft rubber blade
RSL30-50	length=50cm	soft rubber blade
RSL30-60	length=60cm	soft rubber blade
RSL30-80	length=80cm	soft rubber blade

Light Weight Notched Floor Squeegee

Tough plastic with rubber blade. Polycarbonate threaded adaptor fits any handle or extension pole
Teeth available 1/8"(3.2mm),or 3/16"(5.4mm)



RSL29-20	size=20cm
RSL29-40	size=40cm
RSL29-50	size=50cm
RSL29-60	size=60cm
RSL29-60-2	size=60cm V=2mm
RSL29-60-3	size=60cm V=3mm
RSL29-60-4	size=60cm V=4mm
RSL29-60-5	size=60cm V=5mm
RSL29-60-6	size=60cm V=6mm
RSL29-60-6.5	size=60cm V=6.5mm

Light Weight Floor Flat Squeegee

Tough plastic with rubber blade. Polycarbonate threaded adaptor fits any handle or extension pole
Flat blade.



RSL29-20Y	size=20cm
RSL29-40Y	size=40cm
RSL29-50Y	size=50cm
RSL29-60Y	size=60cm

Rubber Floor Squeegee

These rubber squeegees are used for cleaning or moving liquid/solid waste.Metal frame, blade replaceable,straight or curved.Bracket adaptor can be inner threaded or non-threaded. Blade replaceable.



Item No.	Size	Remark
83418	Length=18in	straight

Rubber Floor Squeegee



Item No.	Size	Remark
82846	Length=18"/46cm	complete a body

Serrated (V-notched) Gray EPDM Rubber Squeegee

Recommended for use with polyurethane coatings, epoxies, floor coatings etc.

Flexible EPDM blade with serrated edge allow optimal flexibility and control of material deposit through pressure,. angle and options of notches



Item No.	Size	Remark
83324	Length=24in/60cm	V=1/8" (3mm)

Straight Rubber Squeegee

Rubber blade is good to uneven surfaces and does not leave marks on the floor.

This squeegee is ideal for smooth surfaces, such as concrete



Item No.	Size	Remark
83524	Length=24in/60cm	flat
83536	Length=36in/90cm	flat



83524-1	Length=24in/60cm
---------	------------------

Curved Rubber Squeegee

Rubber blade, remove water and other liquids from surfaces



Item No.	Size	Remark
83624-1	Length=24in/60cm	flat
83624-2	Length=36in/90cm	

Curved Notched Squeegee

Serrated Edge is used to apply armorUltra V teeth=1/8" (3mm)



Item No.	Size	Remark
83824-3	Length=24in/60cm	V=3mm
83824-5	Length=24in/60cm	V=5mm

Tools Kit for Epoxy Self Leveling Flooring



Hy01

- D290 spiked shoes x 1
- D806B spiked roller x 1
- 82903 notched squeegee x 1
- 82903A blade x 1
- 82905A blade x 1
- 42102 Pole x 1

Epoxy Roller-Solvent Resistant

Medium pile, polyacrylic, solvent resistant, lint free, for smooth surface, resin coating.



Item No.	Size	Remark
17138A	7in	
9138A	9in	
20138M	20"	roller sleeve only
20138	20"	with roller frame (1109)
18093	18"	pile 9mm

Epoxy Roller-Solvent Resistant

Sheepskin, lint free, solvent resistant



Item No.	Size	Remark
90488	9in	pile 5mm
18488A	18"	roller sleeve only
18488	18"	with roller frame (1109)

Roller Frame

Plastic, thread handle adaptor, light weight



Item No.
L1112

Size
18"

Remark



L1113

18"

Suitable for 18" epoxy roller&spiked roller

Epoxy Roller-High Density

solvent resistant, lint free, for smooth surface, resin coating.



Item No.
9103C1
9093AYC
90586A
G958A

Size
9in
9in
9in
9in

Remark
Pile 12mm sleeve only
Pile 9mm sleeve only
Pile 5mm sleeve only
roller frame only

Texture Polyester Roller

Looped Polyester Paint Roller Creates Decorative Texture



Item No.
93109

Size
9in

Remark
PVC pile, dia 65mm

New

Loop Roller

Loop Roller for thin coatings, when the spike rollers are no longer effective the roller is ideal for levelling and smoothing



Item No.
93209

Size
9in

Remark
PVC pile, dia 65mm

Spring pipe brush tool arc roller



Item No.	Size	Remark
93316-1		9 wheels+spring brush holder (excluding rod)
93316-2		Separate 9 replacement wheels
93316-3		Separate 18 replacement wheels
93316-4		Separate 27 replacement wheels

3 wheel Pipes Painting Brush



Item No.	Size	Remark
93401		3 wheels+1 handle

Painted Corner Edge Flat Paint Brush



Item No.	Size	Remark
93501		1 brush head+1 short handle (for female corner)
93502		2 brush heads+1 short handle (for external corner/round tube)

Color Tile Roller Brush




Item No.	Size	Remark
93601		

Sponge Paint Roller




Item No.	Size	Remark
93701A		Single brush head
93701		Brush head+20cm short handle
93702		Brush head+26cm middle handle
93703		Brush head+41cm long handle

Wall Renovated Paste



Item No.	Size	Remark
93801		

20 Inch 50 Cm Roller Brush Paper Box



Item No.	Size	Remark
93901	20"	



Item No.	Size	Remark
94001	9" double roller	



Item No.	Size	Remark
94101	9-inch floor paint orange peel patterned polyester roller	



Item No.	Size	Remark
94209	9-inch elastic white wool perforated wool sleeve	

Coarse Textured Roller

Use with texture paints and additives.Double side arm frame.



Item No.	Size	Remark
100C	20in	Coarse

Steel Extension Pole

Steel extension poles as the handle for painting tools and cleaning tools. Economic pattern telescopic pole in different sizes and folds. thread and universal adaptor



Item No.	Size
42001	2 sections 1.1-2.0m
42002	3 sections, 0.87-2.0m

Aluminum Extension Pole

Lightweight and durable pole anodized aluminum construction is built strong to last. thread and universal adaptor



Item No.	Size
42101	2 sections 1.1-2.0m
42102	4 sections, 0.7-2.0m

Mixing Paddle

Suitable for mixing and stirring epoxy resins, two-component materials, plastics



Item No.	Size	Remark
40101	60 x 400mm	.
40102	80 x 400mm	.
40103	100x 600mm	.

Epoxy Mixer

Suitable for mixing and stirring epoxy resins, two-component materials, plastics



Item No.	Size	Remark
40201	1 gallon	66*280MM
40202	5 gallon	




40211	45*220mm
40212	
40213	75*400mm




40221

Covel Trowels



Item No.	Size	Remark
96301	radius degree 15,	size 15x21
96302	radius degree 30,	size 15cmx23cm
96303	radius degree 50,	size 15cmx15cm




96307	radius 20mm
96308	radius 9mm



Item No.	Size	Remark
96401	radius degree 15,	size 15x21
96402	radius degree 30,	size 15cmx23cm
96403	radius degree 50,	size 15cmx15cm

Round Trowel



96501	251x218mm	half round
96502	251x170mm	half round



96503	251x218mm	half round
96504	251x170mm	half round


Concave tapered trowels

with 30 mm radius, Stainless steel blade, approx. 1.0 mm ~3/64 inch



96306-2
New


Length x Height x Width	120(160)x200x80mm, skirting
-------------------------	-----------------------------



96306-3

New


Length x Height x Width 120(150)x200x80mm, radius



96306-4

New

Length x Height x Width 120(150)x200x115mm, radius
30 mm



96306-5

New

120(150)x200x80mm, radius

Finishing Trowel

For floor coating spreading.



Item No.

Size

90401

270x120mm

90402

500x120mm

90403

600x120mm



90502

355x100mm


with soft grip

90503

405x100mm

with soft grip

Flat Trowel



D99

300x95mm

flat edge




D99A

300x95mm

flat edge,round front

Notched Trowel

For epoxy floor coating spreading.



Item No.	Size	Remark
D991	300x95mm	V tooth=1mm
D992	300x95mm	V tooth=2mm
D993	300x95mm	V tooth=3mm

Swimming Pool Trowel

Round on both ends. Blade is flexible enough to work any radius.



Item No.	Size	Remark
8105	356x102mm	with soft grip
8106	406x102mm	with soft grip



8109	305 x 89mm	wooden handle
------	------------	---------------

Finsh Fresno Trowel

Round on both ends. Blade is flexible enough to work any radius.



Item No.	Size
8115	900x120mm

Step Trowels

Trowel for steps corners.



Item No.	Size	Remark
8401	152x152x102mm	R:3.18mm, outside
8402	152x152x102mm	R:3.18mm, inside

Corner Trowels

Used for accurate corner finishing when plastering.



Item No.	Size	Remark
96101A	100x50x50mm	90 degree,outside
96101B	100x50x50mm	90 degree,inside

Concrete Edgers


Used to produce a radius at the edge of a concrete slab to prevent the edge from chipping.



Item No.	Size	Remark
95001	6x3inch	curved end

Stainless Steel Concrete Edgers

Used to produce a radius at the edge of a concrete slab to prevent the edge from chipping.



Item No.	Size	Remark
95002	6x3in	Straight end

Cast Aluminum Concrete Edgers



Item No.	Size	Remark
95003	6x3inch	Straight end

Concrete Groover


Properly shaped bit and leading edge cuts a sharp groove and finishes clean.



Item No.	Size	Remark
95201	6x3inch	1/4" radius,3/8"width,3/4"depth

Concrete Groover

Cast Iron. Properly shaped bit and leading edge cuts a sharp groove and finishes clean.



Item No.	Size	Remark
95202	6x3inch	1 groove



Item No.	Size	Remark
95203	6x3inch	6 groove



95204	6x3inch	1 groove
-------	---------	----------

Fresno Round End Trowel



82505-20S	120*500mm
82505-24S	120*600mm
82505-32S	120*800mm
82505-40S	120*1000mm
82505-48S	120*1200mm
82507-32S	180*800mm
82507-40S	180*1000mm
82507-48S	180*1200mm

Floor Scraper



Item No.	Size
D1180	100mm(4in)
D1180A	blade replacement

Heavy Duty Floor Scraper

Cleans excess plaster and adhesives from concrete, heavy duty one, with robust telescopic fiberglass handle.



Item No.	Size	Remark
83612	12in x 6in	with pole
83612-1	12in x 6in	without pole

Drywall floor scraper



83613	12in x 6in	with fiberglass pole
-------	------------	----------------------

Floor Scraper



Item No.	Size	Remark
83614	7in	with pole

Two Head Floor Scraper



Item No.	Size	Remark
83615	7in	with pole

Item No.	Size	Remark
83616-1	6in/150mm	with pole
83616-2	12in/300mm	with pole

Concrete Roller Mesh Tamp 36" Double Roller

Ideal for embedding exposed aggregate Quickly levels slab and prepares it for final finish Dual adaptor allows use with any clip and threaded handles



88148

36" Twin roller, with poles

Concrete Placer

Made of strong lightweight aluminum. Heavy-duty aluminum braces for added strength.



D501

508mmX102mmX1530m
m

Bull Float Magnesium

Work for for smoothing freshly placed concrete. Magnesium alloy is lightweight and durable.

with pole and knucle whoist adaptor, round end



Item No.

Size

87536

36in x 8in

87548

48in x 8in

87560

60in x 8in

87572

72in x 8in

87596

96in x 8in

875120

120in x 8in

with two-arm support

with two-arm support

with two-arm support

Electric shock leveling ruler



86960

1.0m

86960-1

1.1m

86960-2

1.2m

86960-5

1.5m

86960- 8

1.8m

86960-20

2.0m

Two electrics and one charge

Twist connection



875A

Twist connection

Fresno Trowel

Ideal for smooth concrete surface. Round ends prevent edging. High-carbon tempered-polished spring-steel construction.



Item No.	Size
87048	48in x 5in

Big Finish Trowel Float



87148	48in x 12in
-------	-------------

Magnesium Straight Edge



872120-1	120in, vertical
872120-2	120in, flat

Easy screed Level

Dual-edge design allows the lightweight, aluminum bar to be used for screeding concrete, or as a float or check rod



87603-1	100cm
87603-2	120cm
87603-3	150cm
87603-4	180cm
87603-5	200cm


Concrete Flat Wire Broom

Specially designed with durable steel tines to create uniform grooves in concrete roadways, bridges, and ramps for added water drainage and traction



Item No.	Size
84548	48in

Aluminium Hawk



Item No.	Size
87401	300x300x2mm, handle 130mm

Tape Knife



Item No.	Size
87306	6"
87308	8"
87310	10"
87312	12"
87314	14"
87320	20"

Plastic Joint Compound Mud Pan

Heavy duty plastic mud pan with molded edges for wiping blades clean.



Item No.	Size
87901	14inch, with metal slide

Joint Compound Mud Pan -Steel

Mud pans are generally rather long in length with sharp edges, used to hold drywall compound



87902

14inch, with metal slide

Magnesium Float

Good tool to use with air-entrained concrete, assist the user in preparing the surface for troweling.

Item No.

Size



90601

400x80mm

Texture Wheels for Stamped Concrete

A must on every stamping job to finish grout lines on the edges where the stamping mats cannot reach.



Item No.

Size

90602

curbing

Texture Roller for Stamped Concrete

A must on every stamping job to finish grout lines on the edges where the stamping mats cannot reach.

Item No.

Size



EG726T

2205TS

2206TS

Level pin legs



12001

Injector of Epoxy



12002

lower pressure injection



12003

Burnisher Pads



- | | |
|---------|------------------------------|
| 12017-1 | 17" natura fiber |
| 12017-2 | 17" heavy hair blended fiber |
| 12020-1 | 20" natura fiber |
| 12020-2 | 20" heavy hair blended fiber |
| 12027-1 | 27" natura fiber |
| 12027-2 | 27" heavy hair blended fiber |

Trapezoid Diamond Grinding Shoes



18001

2*1/4PCD+1TCT


Diamond Grinding Resin Pad



18104

dia 78mm x thickness 10mm

Flexible pad



18204

Diamond Grinding Turbo



18304

4inch

Scarifier Cutter Flails

Tungsten carbide scarifier cutter in pin style for toughest asphalt and concrete removal projects. Different sizes for choice.



Item No.	No. of Tips	Size
1001A	5tips	43 (OD)x6x16 (ID)mm
1002A	6tips	47 (OD)x6x15.5(ID)mm
1002B	6tips	57 (OD)x6x17 (ID)mm
1002C	6tips	56.6(OD)x6x26 (ID)mm
1003A	8tips	35.5(OD)x6x12 (ID)mm
1003B	8tips	58 (OD)x6x17.6(ID)mm
1003C	8tips	60 (OD)x6x20 (ID)mm
1003D	8tips	68 (OD)x6x26 (ID)mm
1003E	8tips	82 (OD)x8x30 (ID)mm
1004A	12tips	80 (OD)x8x26 (ID)mm
1004B	12tips	80 (OD)x8x30 (ID)mm

Full Width Carbide Cutter

Cutter with beam tungsten carbide for toughest asphalt and concrete removal projects when best surface finish demand.



Item No.	Tips	Size
1005A	6tips	47 (OD)x6x15.5(ID)mm
1006A	8tips	60 (OD)x6x20 (ID)mm
1006B	8tips	82 (OD)x10x30 (ID)mm
1007A	16tips	82 (OD)x8x26.5(ID)mm
1007B	16tips	82 (OD)x10x30 (ID)mm

Tungsten Carbide Mill Cutter

Mill cutter is to remove cold plastics, thermoplastics, preform tapes, epoxy and paint on concrete or asphalt surfaces.



Item No.	Tips	Size
1008A	6 edges	55(OD)x19x18(ID)mm
1008A-1	6 edges	55(OD)x19x18(ID)mm
1008B	6 edges	80(OD)x19x30(ID)mm

Dust Shroud Metal

Fit for Metabao, Milwaukee,Dewalt,Makita



G1014	dia 4"
G1015	dia 5"
G1017	dia 7"

Dust Shroud Metal

Fit for Metabao, Milwaukee,Dewalt,Makita



Item No.	Size
R1017	dia 7"

Knee pads



Item No.	Size
D066	EVA pattern



Item No.	Size
D064t	gel pattern

Rolling Knee Pads



D065	2pcs/pair
------	-----------

Kneeler Board

Kneeler Board offers extra-comfortable support for knees. It features extra large handle grips and a black foam pad that is securely fastened to large polypropylene tray.



D022	490x350x50mm
------	--------------

Sieka Deng-Direct Market
WhatsApp 联系人



Direct Market Co., Ltd

Tel: +8613787209092 、 +8613723888431 , +8618173135020

Email: info@spikedroller.com/siekabin@gmail

Web: www.spikedroller.com

Add: Longxishunjin Glg 1-105,Jianshou Road,
Liuyang Industrial Park, Changsha,Huanan,
China 410300