

- **Epoxy Coating Tools**
- **Concrete Tools**



2023

Direct Market Co., Ltd

Address: Longxishunjin Glg 1-105, Jianshou Road, Liuyang Industrial Park, Changsha, Huanan, China 410300

Mobile: +86 18173135020 Tel: +86-137-87209092 / 731-82806590 Fax: +86-731-82806580

Website: www.spikedroller.com Email: info@spikedroller.com; siekabin@gmail.com

• Epoxy Coating Tools

Spiked Roller Stainless handle

Used to prevent unevenness when coating; to release the gas bubble on freshly applied floor coatings.



Item No.	Size	Remark
D809A	10in x 11mm	no splash guard
D806A	10in x 13mm	no splash guard
D820A	10in x 20mm	no splash guard
D803B	10in x 28mm	no splash guard
D835B	10in x 35mm	no splash guard
D840B	10in x 40mm	no splash guard
D803N	18in x 28mm	no splash guard
D806N	18in x 13mm	no splash guard
D809B	20in x 11mm	no splash guard
D806B	20in x 13mm	no splash guard
D820B	20in x 20mm	no splash guard
D803C	20in x 28mm	no splash guard
D835C	20in x 35mm	no splash guard
D840C	20in x 40mm	no splash guard
D803D	32in x 28mm	no splash guard



D820-1	250x11mm	with splash guard
D820-2	250x21mm	with splash guard
D820-3	250x31mm	with splash guard
D820-4	500x11mm	with splash guard
D820-5	500x21mm	with splash guard
D820-6	500x31mm	with splash guard
D820-10	500x50mm	with splash guard(steel
D820-7	750x11mm	with splash guard
D820-8	750x21mm	with splash guard
D820-9	750x31mm	with splash guard
D820-11	750x50mm	with splash guard(steel

Spiked Roller ajustable frame



Item No.	Size
D809F	20in x 11mm
<i>Aluminum threaded yoke frame, length ajustable</i>	

Remark

L1109	300-550mm
-------	-----------

aluminum frame,length adjustable



Spiked Roller Single Handle

To release the air bubble on freshly epoxy screed flooring, as well as assisting leveling process.



Item No.	Size
D809E	4in x 11mm
D806E	4in x 13mm
D803G	4in x 28mm
D809D	7in x 11mm
D806D	7in x 13mm
D803F	7in x 28mm
D809C	9in x 11mm
D806C	9in x 13mm
D803E	9in x 28mm
D835E	9in x 35mm
D840E	9in x 40mm

Remark

single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle
single side handle

Spiked Roller -round tip end

To release the air bubble on freshly epoxy screed flooring, as well as assisting leveling process.



Item No.	Size
D815E	4in x 11mm
D815D	7in x 11mm
D815C	9in x 11mm
D815A	10in x 11mm
D815B	20in x 11mm

Remark

single side handle,round tip end
single side handle,round tip end
single side handle,round tip end
two-side handle,round tip end
two-side handle,round tip end

Stainless Steel Spiked Roller

Stainless steel tined, long lasting.




Hot

D821-1	180x13mm
D821-2	180x19mm
D821-3	180x26mm
D821-4	250x13mm

D821-5	250x19mm
--------	----------

D821-6	250x26mm
--------	----------



Hot

D822-1	250x13mm
D822-2	250x19mm
D822-3	250x26mm
D822-4	500x13mm

D822-5	500x19mm
--------	----------

D822-6	500x26mm
D822-7	750x13mm
D822-8	750x19mm
D822-9	750x26mm

Spiked Shoes

Spikes allow walking on wet coatings like epoxy, chemical resins or acrylic fresh coating without leaving footprints.



Item No.	Size	Remark
D290	290mm x 26mm	spiked shoes, PP (nylon optional)
D290-1	spikes height 40mm	spiked shoes
D290-2	290mm x 26mm	spiked shoes, NYLON
D290S	55cm/pc x 4pcs	Straps replacement
D290A	26mm	spare spikes
D290B	40mm	spare spikes



D268

Metal Spike Sandals



D269

Spiked Shoes, Flexible Rubber

Spikes allow walking on wet coatings like epoxy,chemical resins or acrylic fresh coating without leaving footprints.



New

Item No.	Size	Remark
D270	290mm x 26mm	spiked shoes,Flexible Rubber

Aluminum Shoes



D280	aluminum shoes	33x19.5cm
------	----------------	-----------



D280-1	ABS shoes,33x19.5cm
--------	---------------------

Notched Squeegee

To spread the epoxy resin over the base so that an even thickness is achieved.



item No.	Size	Remark
82903		body only
82903A	sqr=3mm	blade replacement
82905A	sqr=5mm	blade replacement
82908A	sqr=8mm	blade replacement
82901-1		

Serrated Squeegee

To spread the epoxy resin over the base so that an even thickness is achieved.



item No.	Size	Remark
83002		body only
830021A	V=1mm	blade replacement
830022A	V=2mm	blade replacement
830023A	V=3mm	blade replacement
830025A	V=5mm	blade replacement
830028A	V=8mm	blade replacement



83002-2

Floor Dust Scraper

To spread the epoxy resin over flooring.



83004 600mm

Floor Dust Scraper

To get the dust together after machine grining.



83005 size=120cm

Double Edged Tooth Rake

For self leveling floor to settled thickness length=60cm



Item No.	Size	Remark
83103	V=3mm	blade replacement No. 83103A
83104	V=4mm	blade replacement No. 83104A
83105	V=5mm	blade replacement No. 83105A
83106	V=6mm	blade replacement No. 83106A
83107	V=7mm	blade replacement No. 83107A

Pin Leveller Adjustable

Adjustable pin Levelers spread flooring overlay compounds in one easy application.

Ideal for thick layers of screed or screed with fibers having good flow. Pin height can be adjusted from 0mm~10mm.



Item No.	Size	Remark
802-1	Length=600mm	Pin height adjustable 0-10mm
802-2	Length=800mm	Pin height adjustable 0-10mm

Gauge rake

Apply for cement-based toppings or overlays, with adjustable sled to work for coating in different thickness.



Item No.	Size	Remark
832	Length=800mm	Wire sled height adjustable 6-30mm

Gauge Rake Leveler

It is used to apply self-leveling floor coatings and lower viscosity materials.



Item No.	Size	Remark
844	Length=600mm	sled height adjustable 6-30mm

Soft Rubber Trowel

Soft rubber blade, handle adaptor thread dia 20mm



Item No.	Size	Remark
RSL30-18	Length=18cm	soft rubber blade
RSL30-25	Length=25cm	soft rubber blade
RSL30-36	Length=36cm	soft rubber blade
RSL30-50	length=50cm	soft rubber blade
RSL30-60	length=60cm	soft rubber blade
RSL30-80	length=80cm	soft rubber blade

Light Weight Notched Floor Squeegee

Tough plastic with rubber blade. Polycarbonate threaded adaptor fits any handle or extension pole
Teeth available 1/8"(3.2mm),or 3/16"(5.4mm)



RSL29-20	size=20cm
RSL29-40	size=40cm
RSL29-50	size=50cm
RSL29-60	size=60cm
RSL29-60-2	size=60cm V=2mm
RSL29-60-3	size=60cm V=3mm
RSL29-60-4	size=60cm V=4mm
RSL29-60-5	size=60cm V=5mm
RSL29-60-6	size=60cm V=6mm
RSL29-60-6.5	size=60cm V=6.5mm

Light Weight Floor Flat Squeegee

Tough plastic with rubber blade. Polycarbonate threaded adaptor fits any handle or extension pole
Flat blade.



RSL29-20Y	size=20cm
RSL29-40Y	size=40cm
RSL29-50Y	size=50cm
RSL29-60Y	size=60cm

Rubber Floor Squeegee

These rubber squeegees are used for cleaning or moving liquid/solid waste.Metal frame, blade replaceable,straight or curved.Bracket adaptor can be inner threaded or non-threaded. Blade replaceable.



Item No.	Size	Remark
83418	Length=18in	straight

Rubber Floor Squeegee



Item No.	Size	Remark
82846	Length=18"/46cm	complete a body

Serrated (V-notched) Gray EPDM Rubber Squeegee

Recommended for use with polyurethane coatings, epoxies, floor coatings etc.

Flexible EPDM blade with serrated edge allow optimal flexibility and control of material deposit through pressure,. angle and options of notches



Item No.	Size	Remark
83324	Length=24in/60cm	V=1/8" (3mm)

Straight Rubber Squeegee

Rubber blade is good to uneven surfaces and does not leave marks on the floor.

This squeegee is ideal for smooth surfaces, such as concrete



Item No.	Size	Remark
83524	Length=24in/60cm	flat
83536	Length=36in/90cm	flat



83524-1	Length=24in/60cm
---------	------------------

Curved Rubber Squeegee

Rubber blade, remove water and other liquids from surfaces



Item No.	Size	Remark
83624-1	Length=24in/60cm	flat
83624-2	Length=36in/90cm	

Curved Notched Squeegee

Serrated Edge is used to apply armorUltra V teeth=1/8" (3mm)



Item No.	Size	Remark
83824-3	Length=24in/60cm	V=3mm
83824-5	Length=24in/60cm	V=5mm

Tools Kit for Epoxy Self Leveling Flooring



Hy01

- D290 spiked shoes x 1
- D806B spiked roller x 1
- 82903 notched squeegee x 1
- 82903A blade x 1
- 82905A blade x 1
- 42102 Pole x 1

Epoxy Roller-Solvent Resistant

Medium pile, polyacrylic, solvent resistant, lint free, for smooth surface, resin coating.



Item No.	Size	Remark
17138A	7in	
9138A	9in	
20138M	20"	roller sleeve only
20138	20"	with roller frame (1109)
18093	18"	pile 9mm

Epoxy Roller-Solvent Resistant

Sheepskin, lint free, solvent resistant



Item No.	Size	Remark
90488	9in	pile 5mm
18488A	18"	roller sleeve only
18488	18"	with roller frame (1109)

Roller Frame

Plastic, thread handle adaptor, light weight



Item No.
L1112

Size
18"

Remark



L1113

18"

Suitable for 18" epoxy roller&spiked roller

Epoxy Roller-High Density

solvent resistant, lint free, for smooth surface, resin coating.



Item No.
9103C1
9093AYC
90586A
G958A

Size
9in
9in
9in
9in

Remark
Pile 12mm sleeve only
Pile 9mm sleeve only
Pile 5mm sleeve only
roller frame only

Texture Polyester Roller

Looped Polyester Paint Roller Creates Decorative Texture



Item No.
93109

Size
9in

Remark
PVC pile, dia 65mm

New

Loop Roller

Loop Roller for thin coatings, when the spike rollers are no longer effective the roller is ideal for levelling and smoothing



Item No.
93209

Size
9in

Remark
PVC pile, dia 65mm

Spring pipe brush tool arc roller



Item No.	Size	Remark
93316-1	9 wheels+spring brush holder (excluding rod)	
93316-2	Separate 9 replacement wheels	
93316-3	Separate 18 replacement wheels	
93316-4	Separate 27 replacement wheels	

3 wheel Pipes Painting Brush



Item No.	Size	Remark
93401	3 wheels+1 handle	

Painted Corner Edge Flat Paint Brush



Item No.	Size	Remark
93501	1 brush head+1 short handle (for female corner)	
93502	2 brush heads+1 short handle (for external corner/round tube)	

Color Tile Roller Brush




Item No.	Size	Remark
93601		

Sponge Paint Roller




Item No.	Size	Remark
93701A	Single brush head	
93701	Brush head+20cm short handle	
93702	Brush head+26cm middle handle	
93703	Brush head+41cm long handle	

Wall Renovated Paste



Item No.	Size	Remark
93801		

20 Inch 50 Cm Roller Brush Paper Box



Item No.	Size	Remark
93901	20"	



Item No.	Size	Remark
94001	9" double roller	



Item No.	Size	Remark
94101	9-inch floor paint orange peel patterned polyester roller	



Item No.	Size	Remark
94209	9-inch elastic white wool perforated wool sleeve	

Coarse Textured Roller

Use with texture paints and additives.Double side arm frame.



Item No.	Size	Remark
100C	20in	Coarse

Steel Extension Pole

Steel extension poles as the handle for painting tools and cleaning tools. Economic pattern telescopic pole in different sizes and folds. thread and universal adaptor



Item No.	Size
42001	2 sections 1.1-2.0m
42002	3 sections, 0.87-2.0m

Aluminum Extension Pole

Lightweight and durable pole anodized aluminum construction is built strong to last. thread and universal adaptor



Item No.	Size
42101	2 sections 1.1-2.0m
42102	4 sections, 0.7-2.0m

Mixing Paddle

Suitable for mixing and stirring epoxy resins, two-component materials, plastics



Item No.	Size	Remark
40101	60 x 400mm	.
40102	80 x 400mm	.
40103	100x 600mm	.

Epoxy Mixer

Suitable for mixing and stirring epoxy resins, two-component materials, plastics



Item No.	Size	Remark
40201	1 gallon	66*280MM
40202	5 gallon	




40211	45*220mm
40212	
40213	75*400mm




40221

Covel Trowels



Item No.	Size	Remark
96301	radius degree 15,	size 15x21
96302	radius degree 30,	size 15cmx23cm
96303	radius degree 50,	size 15cmx15cm



96307	radius 20mm
96308	radius 9mm



Item No.	Size	Remark
96401	radius degree 15,	size 15x21
96402	radius degree 30,	size 15cmx23cm
96403	radius degree 50,	size 15cmx15cm

Round Trowel



96501	251x218mm	half round
96502	251x170mm	half round



96503	251x218mm	half round
96504	251x170mm	half round

Concave tapered trowels


with 30 mm radius, Stainless steel blade, approx. 1.0 mm ~3/64 inch



96306-2

New


Length x Height x Width	120(160)x200x80mm, skirting
-------------------------	-----------------------------



96306-3

New


Length x Height x Width 120(150)x200x80mm, radius



96306-4

New

Length x Height x Width 120(150)x200x115mm, radius
30 mm



96306-5

New

120(150)x200x80mm, radius

Finishing Trowel

For floor coating spreading.



Item No.

Size

90401

270x120mm

90402

500x120mm

90403

600x120mm



90502

355x100mm


with soft grip

90503

405x100mm

with soft grip

Flat Trowel



D99

300x95mm

flat edge




D99A

300x95mm

flat edge,round front

Notched Trowel

For epoxy floor coating spreading.



Item No.	Size	Remark
D991	300x95mm	V tooth=1mm
D992	300x95mm	V tooth=2mm
D993	300x95mm	V tooth=3mm

Swimming Pool Trowel

Round on both ends. Blade is flexible enough to work any radius.



Item No.	Size	Remark
8105	356x102mm	with soft grip
8106	406x102mm	with soft grip



8109	305 x 89mm	wooden handle
------	------------	---------------

Finsh Fresno Trowel


Round on both ends. Blade is flexible enough to work any radius.



Item No.	Size
8115	900x120mm

Step Trowels

Trowel for steps corners.



Item No.	Size	Remark
8401	152x152x102mm	R:3.18mm, outside
8402	152x152x102mm	R:3.18mm, inside

Corner Trowels

Used for accurate corner finishing when plastering.



Item No.
96101A
96101B

Size
100x50x50mm
100x50x50mm

Remark
90 degree,outside
90 degree,inside

Concrete Edgers

Used to produce a radius at the edge of a concrete slab to prevent the edge from chipping.



Item No.

Size

Remark


95001

6x3inch

curved end

Stainless Steel Concrete Edgers

Used to produce a radius at the edge of a concrete slab to prevent the edge from chipping.



Item No.
95002

Size
6x3in

Remark
Straight end

Cast Aluminum Concrete Edgers



Item No.
95003

Size
6x3inch

Remark
Straight end

Concrete Groover

Properly shaped bit and leading edge cuts a sharp groove and finishes clean.



Item No.

Size

Remark


95201

6x3inch

1/4"
radius,3/8"width,3/4"depth

Concrete Groover

Cast Iron. Properly shaped bit and leading edge cuts a sharp groove and finishes clean.



Item No.	Size	Remark
95202	6x3inch	1 groove



Item No.	Size	Remark
95203	6x3inch	6 groove



95204	6x3inch	1 groove
-------	---------	----------

Fresno Round End Trowel



82505-20S	120*500mm
82505-24S	120*600mm
82505-32S	120*800mm
82505-40S	120*1000mm
82505-48S	120*1200mm
82507-32S	180*800mm
82507-40S	180*1000mm
82507-48S	180*1200mm

Floor Scraper



Item No.	Size
D1180	100mm(4in)
D1180A	blade replacement

Heavy Duty Floor Scraper

Cleans excess plaster and adhesives from concrete, heavy duty one, with robust telescopic fiberglass handle.



Item No.	Size	Remark
83612	12in x 6in	with pole
83612-1	12in x 6in	without pole

Drywall floor scraper



83613	12in x 6in	with fiberglass pole
-------	------------	----------------------

Floor Scraper



Item No.	Size	Remark
83614	7in	with pole

Two Head Floor Scraper



Item No.	Size	Remark
83615	7in	with pole



Item No.	Size	Remark
83616-1	6in/150mm	with pole
83616-2	12in/300mm	with pole

Concrete Roller Mesh Tamp 36" Double Roller

Ideal for embedding exposed aggregate Quickly levels slab and prepares it for final finish Dual adaptor allows use with any clip and threaded handles



88148

36" Twin roller, with poles

Concrete Placer

Made of strong lightweight aluminum. Heavy-duty aluminum braces for added strength.



D501

508mmX102mmX1530m
m

Bull Float Magnesium

Work for for smoothing freshly placed concrete. Magnesium alloy is lightweight and durable.

with pole and knucle whoist adaptor, round end



Item No.

Size

87536

36in x 8in

87548

48in x 8in

87560

60in x 8in

87572

72in x 8in

87596

96in x 8in

875120


120in x 8in

with two-arm support

with two-arm support

with two-arm support

Electric shock leveling ruler



86960

1.0m

86960-1

1.1m

86960-2

1.2m

86960-5

1.5m

86960- 8

1.8m

86960-20

2.0m

Two electrics and one charge

Twist connection



875A

Twist connection

Fresno Trowel

Ideal for smooth concrete surface. Round ends prevent edging. High-carbon tempered-polished spring-steel construction.



Item No.	Size
87048	48in x 5in

Big Finish Trowel Float



87148	48in x 12in
-------	-------------

Magnesium Straight Edge



872120-1	120in, vertical
872120-2	120in, flat

Easy screed Level

Dual-edge design allows the lightweight, aluminum bar to be used for screeding concrete, or as a float or check rod



87603-1	100cm
87603-2	120cm
87603-3	150cm
87603-4	180cm
87603-5	200cm


Concrete Flat Wire Broom

Specially designed with durable steel tines to create uniform grooves in concrete roadways, bridges, and ramps for added water drainage and traction



Item No.	Size
84548	48in

Aluminium Hawk



Item No.	Size
87401	300x300x2mm, handle 130mm

Tape Knife



Item No.	Size
87306	6"
87308	8"
87310	10"
87312	12"
87314	14"
87320	20"

Plastic Joint Compound Mud Pan

Heavy duty plastic mud pan with molded edges for wiping blades clean.



Item No.	Size
87901	14inch, with metal slide

Joint Compound Mud Pan -Steel

Mud pans are generally rather long in length with sharp edges, used to hold drywall compound



87902

14inch, with metal slide

Magnesium Float

Good tool to use with air-entrained concrete, assist the user in preparing the surface for troweling.

Item No.

Size



90601

400x80mm

Texture Wheels for Stamped Concrete

A must on every stamping job to finish grout lines on the edges where the stamping mats cannot reach.



Item No.

Size

90602

curbing

Texture Roller for Stamped Concrete

A must on every stamping job to finish grout lines on the edges where the stamping mats cannot reach.

Item No.

Size



EG726T

2205TS

2206TS

Level pin legs



12001

Injector of Epoxy



12002

lower pressure injection



12003

Burnisher Pads



- | | |
|---------|------------------------------|
| 12017-1 | 17" natura fiber |
| 12017-2 | 17" heavy hair blended fiber |
| 12020-1 | 20" natura fiber |
| 12020-2 | 20" heavy hair blended fiber |
| 12027-1 | 27" natura fiber |
| 12027-2 | 27" heavy hair blended fiber |

Trapezoid Diamond Grinding Shoes



18001

2*1/4PCD+1TCT


Diamond Grinding Resin Pad



18104

dia 78mm x thickness 10mm

Flexible pad



18204

Diamond Grinding Turbo



18304

4inch

Scarifier Cutter Flails

Tungsten carbide scarifier cutter in pin style for toughest asphalt and concrete removal projects. Different sizes for choice.



Item No.	No. of Tips	Size
1001A	5tips	43 (OD)x6x16 (ID)mm
1002A	6tips	47 (OD)x6x15.5(ID)mm
1002B	6tips	57 (OD)x6x17 (ID)mm
1002C	6tips	56.6(OD)x6x26 (ID)mm
1003A	8tips	35.5(OD)x6x12 (ID)mm
1003B	8tips	58 (OD)x6x17.6(ID)mm
1003C	8tips	60 (OD)x6x20 (ID)mm
1003D	8tips	68 (OD)x6x26 (ID)mm
1003E	8tips	82 (OD)x8x30 (ID)mm
1004A	12tips	80 (OD)x8x26 (ID)mm
1004B	12tips	80 (OD)x8x30 (ID)mm

Full Width Carbide Cutter

Cutter with beam tungsten carbide for toughest asphalt and concrete removal projects when best surface finish demand.



Item No.	Tips	Size
1005A	6tips	47 (OD)x6x15.5(ID)mm
1006A	8tips	60 (OD)x6x20 (ID)mm
1006B	8tips	82 (OD)x10x30 (ID)mm
1007A	16tips	82 (OD)x8x26.5(ID)mm
1007B	16tips	82 (OD)x10x30 (ID)mm

Tungsten Carbide Mill Cutter

Mill cutter is to remove cold plastics, thermoplastics, preform tapes, epoxy and paint on concrete or asphalt surfaces.



Item No.	Tips	Size
1008A	6 edges	55(OD)x19x18(ID)mm
1008A-1	6 edges	55(OD)x19x18(ID)mm
1008B	6 edges	80(OD)x19x30(ID)mm

Dust Shroud Metal

Fit for Metabao, Milwaukee,Dewalt,Makita



G1014	dia 4"
G1015	dia 5"
G1017	dia 7"

Dust Shroud Metal

Fit for Metabao, Milwaukee,Dewalt,Makita



Item No.	Size
R1017	dia 7"

Knee pads



Item No.	Size
D066	EVA pattern



Item No.	Size
D064t	gel pattern

Rolling Knee Pads



D065	2pcs/pair
------	-----------

Kneeler Board

Kneeler Board offers extra-comfortable support for knees. It features extra large handle grips and a black foam pad that is securely fastened to large polypropylene tray.



D022	490x350x50mm
------	--------------

Sieka Deng-Direct Market
WhatsApp 联系人



Direct Market Co., Ltd

Tel: +8613787209092 、 +8613723888431 , +8618173135020

Email: info@spikedroller.com/siekabin@gmail

Web: www.spikedroller.com

Add: Longxishunjin Glg 1-105,Jianshou Road,
Liuyang Industrial Park, Changsha,Huanan,
China 410300

• Vinyl | Linoleum | PVC | Rubber Tools



2023

Direct Market Co., Ltd

Address: Longxishunjin Glg 1-105, Jianshou Road, Liuyang Industrial Park, Changsha, Huanan, China 410300

Mobile: +86 18173135020 Tel: +86-137-87209092 / 731-82806590 Fax: +86-731-82806580

Website: www.spikedroller.com Email: info@spikedroller.com; siekabin@gmail.com


• Vinyl | Linoleum | PVC | Rubber Tools Seam Trimmer



13001	Seam Trimmer	
13001A	Flat blade	
13001B	Pointed blade	
13001C	Φ 12mm O blade	not available
13001D	Φ 6mm O blade	

Dophine Shark knife

Cuts and trims roofing materials, linoleum, carpet, fabric, cartons and sheet metal;
Blade shape prevents damage to surfaces below.



13002	knife, size 160x40x30mm	
13002A1-1	T1	blade replacement
13002A1-2	T2	blade replacement
13002A1-3	T3	blade replacement
13002A2-1	T4	blade replacement
13002A2-2	T5	blade replacement
13002A3	T6	blade replacement
13002B	with sleeve	

Mozart push-off Trimming Skiving Knife



13003	knife, 180mm, 0.172kg
13003A	blade replacement

UV double cutter head Wheeled Groover

Groove for PVC Flooring thickness 1.5-3.0mm , size 190x80x95mm



13004

cutting depth 0-4mm, width 3mm

13004A

T31 U blade

commercial field

13004B

V blade

sports field

Flexible steel straight edge



13005-1

1100x80x0.6mm 0.6kgs not available

13005-2

2050x80x0.6mm.1.16kgs

13005-3

4050x80x0.6mm, 2.3kgs

Vinyl Floor Edge Trimmer Cutter



13006

track 1.75m max, fit for flooring thickness 1-10mm,
cutting blade depeth: 0-20mm

Vinyl Joint Seam Cutter

The advancement of a classic tool. Perfect seams for all elastic floor coverings and needled felt.
Different guides for versatile usage.



13007

130x110x105mm, 1100g

13007A

blade replacement, B001

Vinyl Seam Cutter Plus

Blade runs directly behind row guide to reduce shearing of yarns. Also works as a trimmer for Z-bar or vinyl molding.



13008
13008A

295x230x55mm, 800g
T41

Vinyl Flooring Concave Groover

Used to make a V groove at seams in commercial vinyl prior to heat welding, replacement triangular blades



13009
13009A

groover, cutting depeth 2-3mm, width 3mm, 160g
T31
blade replacement

Hand Groover



13010
13010A

groover, cutting depeth 2-3mm, width 3mm, 160g
T31
blade replacement

Silicone Pressure Roller

The wide rubber roller has no axle projection on one end, for scratchless flush work.



13011A-1
13011A-2

Φ32 x length 28mm
Φ32 x length 40mm

not available

Silicone Roller with Probe



13011B

roller Φ32 x length
40mm, probe 5cm

Silicon Roller-double



13011C

85x165mm

Silicone Roller- 75degree angle



13011D

115x115x130mm

Silicone Roller

Bearing inside to ensure smooth rolling.



13011G

width 80mm

Combi Silicone Roller

Wooden handle and silicone wheel with a ball bearing mechanism used for smooth constant pressure when hot air welding/repairing



Item No.
13011H

Size
Φ32 x length 40mm

Remark
with bearing

Teflon Pressure Roller

Trim Tools & Accessories for Seal Installation



Item No.
13044

Size
Φ32 x length 40mm

Remark
single side handle

13045

Φ32 x length 80mm

two-side handle

Stainless Steel Pressure Roller



13011F-1

Vertical end

13011F-2

right round end

13011F-3

left round end

13011F-4

Vertical end

13011F-5

right round end

13011F-6

left round end

Pressure roller



13011L



13011N

Brass Penny Roller for Roof membranes

Ideal for Roofing contractors when welding Water Proof Membranes



13012

with brass roller

Two wheels press roller

It is used for the splicing of PVC floor, linen floor, rubber floor joint and corner compaction



13013

Φ45 x length
60mm, 2.6kgs

Quarter Moon Knife

Used for flush trimming of vinyl floor welds.



13014

Knife

160x45x28mm

13014A

Trimming guide

Vinyl PVC flooring Strip cutter

Speed multipurpose handheld manual,for cutting strips, e.g. for skirting boards, friezes or stairs, and for cutting fabrication edges.



13015

Cutting width 20-100mm,
ruler available 30cm, 50cm, 100cm

1pc of blade included

13015A

ruler 100cm

PVC Floor Following Electric Groover



Item No.

Size

13016

diameter 110mm, 220V, 50Hz, 1200W, 13000r/min,
groover depeth 0-4.5mm,width 3.0mm,6.5kgs

13016A

diameter 110mm Carbide Blade for groover

Hot Air Weld Gun



13017

hot air tools
Voltage: 110 V/220V
Power: 1600 W

Frequency range: 50Hz - 60Hz

Temperature range: 68°F-
1300°F / 20°C- 700°C

Air volume: approx.
250l/min
Static pressure: approx.
3000Pa



13017A

Heat core 230V,1550W

13017C

Carbon brush 13x4x6mm

13017D

Carbon brush frame

13017F

Mica sleeve

13017G



Blower Weld Nozzle



13017B-1	Φ 8mm,with wheel,fit for welding core Φ 3/4/5mm
13017B-2A	Flat Blower Φ20mm, connection:Φ 32mm
13017B-2B	Flat Blower Φ40mm connection:Φ 32mm
13017B-3	standard 5x5x7mm
13017B-4A	speed triangle 4x4x6mm
13017B-4B	speed triangle
13017B-5A	Y round Φ4mm(8mm wind slot)
13017B-5B	Y round Φ5mm(8mm wind slot)
13017B-6	Pencil-Tip Nozzle
13017B-7	ultra long round
13017B-8A	90 degree
13017B-8B	120 degree
13017B-10	wall

Hot Air Weld Machin-Leister



Triac St1600	230V/1600W, 50/60HZ, Temperature range: 40°C
ST1600-1	Heat core
ST1600-2	Carbon brush



13018

Easy Groover

Fast and convnient for vinyl flooring grooving



13019
13019A

155x58x110mm
T31

Blade replacement

Wood Plank












13020

300x120x25mm, 0.26kgs

Adhesive Trowel

Large Notched Trowel Adhesive Spreader,blade replaceable

Photo	No.				
	A1	0.50	1.50	1.10	55°
	A2	1.30	1.70	1.40	55°
	A3	0.40	1.60	1.50	45°
	A4	0.40	1.10	0.75	55°
	A5	1.45	1.35	1.00	55°
	B1	2.60	2.40	2.00	55°
	B11	7.90	6.10	5.00	60°



13021
13021A1
13021A2
13021A3
13021A4
13021A5
13021B1
13021B11

21cm, blade replaceable(size
can be other on request)
A1blade
A2blade
A3blade
A4blade
A5blade
B1blade
B11blade

Adhesive Trowel

Large Notched Trowel Adhesive Spreader




130211A2
130211B3

21cm, A2
22cm, B3

Adhesive Trowel

Large Notched Trowel Adhesive Spreader



1302123	sqr=3mm
1302124	sqr=4mm
1302126	sqr=6mm
1302128	sqr=8mm

Heavy Duty Vinyl Pressure Roller

Chrome plated segmented rollers exert even pressure on uneven surfaces, inset axles won



13022	50kgs,dia 12.7cmx50cm, pole 100cm
-------	--------------------------------------

Easy Wall Edge Trimmer

Edge cutter for textile coverings, PVC and CV coverings
Allows for perfect cutting along the wall thanks to the inclined blade position



13023	130x30x80mm, 0.6kgs	
13023A	T41	blade

Vinyl Wall Trimmers

This tool accurately trims sheet goes net to the wall. Adjustable front and rear guides provide precise control.



13024		
13024A1	T1	blade
13024A2	T2	
13024A3	T3	
13024A4	T4	
13024A5	T5	
13024A6	T6	

Selvage Trimmer

Cutting vinyl flooring width 10-30mm,thickness within 6mm,accurately scribed and seamed.



13025

cutting width 10-30mm, thickness within 6mm

13025A

T41

blade replacement

Extension Floor Wall Roller

Soft Rubber, essential for wall and floor Coverings, such as vinyl, carpet, linoleum, etc



13026

38x190mm, 1.2kgs, hand adjustable 410-700mm

Welding Rod Trimmer

For effeicient and safe working, to cut the welding rod.



13027

125x75x45mm, 0.15kg



Carpet Clamp

♦Unique design reduces worker fatigue. Claw tightens carpet as you pull



13028

Electric Groover

Speed adjustable. Floor joint groover with hard metal grooving disc, can work well on uneven surface.



13029

cutting blade dia 110mm, 220V, 50Hz, 1200W, 13000r/m,
groover depeth 0-4.5mm,width 3.0mm


Automatic Welding Machine



13031

220V,3500W,16A

Speed adjustable,
Welding speed: 0-10
m/min , Temperature,
0-650 °C , Voltage 220V,
3500W



13032-1

110V

13032-2

220V

Voltage 230V, Frequency: 50/60 Hz Power:2800 W
Temperature: 50-620 °C Air: Max 180L/Min air
pressure: 2600Pa Chaos: <65 dB welding Speed: 1-12
m/min

Line Carbide Scriber



13040

Seam Scriber

For scribing hard flooring.Adjustable scriber needle



13041

U type, 170x40x20mm

Wall scriber Magic Wand

Flooring markers and cutters.Quality tool for marking and cutting along a wall Infinitely adjustable

Can also be used as a circular marker and cutter



13042

adjustable 50-420mm

Combi Scriber

Combination Floor Scriber c/w 3 Pins & 3 Blades Vinyl Flooring Tool



13043

U type, 170x40x20mm

Hand Grooving Tool

Manual hand grooving tool



13046

adjustable 50-420mm

Multi-Purpose Vinyl Wall Edge Trimmer Cutter



13047

Unloading trolley Mobile car



13048

Moving dolly



13049

45-degree scissors



13051

Copper foil



13052-5	5x0.05mm, 50m
13052-15	15x0.05mm, 50m
13052-20	20x0.05mm, 50m
13052-25	25x0.05mm, 50m
13052-30	30x0.05mm, 50m
13052-40	40x0.05mm, 50m
13052-50	50x0.05mm, 50m

Leather marking to spacing Gauge



13053-1	100mm radius
13053-2	125mm radius
13053-3	150mm radius

Cutter Push Knife



13054

Tile 45 Degree Beveled Chamfer Frame Cutter Pneumatic Cutting

Tile 45 degree angle cutting tool For desktop stone chamfer cutting machine guide angle multifunctional accessories



13055

trimming device



13057

Sheet Metal Deburring Tool

Double-Sided Trimmer High Carbon Steel Double Burr Treatment For Professional Industrial Applications



13058

13058A

blade replaceable

Steel Deburring Burr Blade Scraper Blade

Deburring Trimmer Burr Handle Cutter Repair Woodworking Metal Equipment



13060

Plastic

13060A

BS2010 blade replaceable For Aluminum
BS1018 blade replaceable Brass cast iron
BS1010 blade replaceable For steel

Burr Blade Scraper Blade



13061

Aluminum

Plastic Ring Field Edging Machine



13063

Transparent Carpet Protector Sheet



13064

Wall Scriber for Coving



13065


Guide wheel groover



13066

Lino Cove Roller

For commercial flooring professionals seeking precision and efficiency, specifically crafted for cove fillets.



13121-6

width=6mm=13012

13121-20

width=20mm

13121-30

width=30mm

Lino Cap Corner Pattern



13122

4pcs as a set

Tools Set for Vinyl Flooring



- SJ01
1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.

14.

15.

16.

17.

18.

19.

20.

21.
- 13001 Seam trimmer x1

13002 Dolphin knife x1

13003 Trimming Skiving Knife x1

13003A Trimming Skiving Knife blade x1

13004 Wheeled Groover x1

13005-2 Steel ruler x1

13007 Vinyl Joint Seam Cutter x1

13009 Multi Hand groover x1

13010 Hand groover x1

13010A Hand groover blade x4

13011A Vinyl hand roller x1

13014 Moon Quarter Knife x1

13016 Electric Groover x1

13017 Heat air weld gun (120V or 230V 1600W)x1

13017B-5A weld nozzle x1

13020 Wood plank x1

13021 Adhesive Notched Trowel x1



13021A2 teeth blade A2 x1

13025 Selvage Trimmer x1

13016C tool case for electric groover x1

13017C tool case for weld gun x1

Blade



T1	SK5 50x0.4	13002A 13024A
T2	SK5 52X0.5	13002A
T3	SK5 20X0.65	13002A
T4	SK5 58.5X0.6X18.5MM	13002A 13024A
T5	SK5 49X0.6X19MM	13002A 13010A
T6	stainless steel	13002A 13024A
T7		13007A
T8		14011A
T9		14009A
T31	U blade	13019A 13009A 13010A
T41	artists blade	13023A 13025A 13008A

Direct Market Co., Ltd

Tel: +8613787209092、 +8613723888431, +8618173135020

Email: info@spikedroller.com/freda@spikedroller.com

Web: www.spikedroller.com

**Add: Longxishunjin Glg 1-105, Jianshou Road, Liuyang
Industrial Park, Changsha, Huanan, China 410300**

Sieka Deng-Direct Market
WhatsApp 联系人



Whatsapp



Wechat SCAN

• Carpet Tools



2023

Direct Market Co., Ltd

Address: Longxishunjin Glg 1-105, Jianshou Road, Liuyang Industrial Park, Changsha, Huanan, China 410300

Mobile: +86 18173135020 Tel: +86-137-87209092 / 731--82806590 Fax: +86-731--82806580

Website: www.spikedroller.com Email: info@spikedroller.com; siekabin@gmail.com

• Carpet Tools

Heavy Duty Carpet Stretcher

Kit of rods and brackets used to stretch large areas of carpet, max length of 7.5m



14001

adjustable 0.7~7.5m

Carpet Knee Kicker

Carpet Stretcher Adjustable from 47-57cm, base 7.2x12.2cm, pin width 9cm.



14002

Adjustable 47-57cm

14002A

big pin board

14002B

small pin board

Carpet Seam Roller



14003

11.2x9cm

14003-1

14x7cm

Heat Bond Iron



14004

25x4.5x12.5cm, 800W, line 5m

Carpet Press Roller

Stainless Steel



14005

Carpet Press Roller

Soft rubber made.



14006

Carpet Tucking Tuck Stair Tool



14007

20.8x9cm



14007-2

Vinyl Roller Brush



14008

Conventional Carpet Trimmer

Carpet Edge Cutter, Safety work, cutting the edge fitting

Adjustable all steel design with rubber grip handle, can be reversed to make cuts next to the wall



14009

Trimmer

14009A

blade replacement

Professional Carpet Wall Edge Cutter



14010
14010A

Cutter
blade replacement

Universal Carpet Seam Cutting



14011
14011a

seam cutter
blade replacement

Carpet Edge Presser



14012

Repair Kit

Carpet hole repair



14013

height adjustable 5.5-7cm, dia 5.2-9cm

Carpet Seaming Tape



14014

20meter

Carpet Seam Squeezer



14015

Rotary Cutter



14021
14021A

rotary cutter
blade replacement

Carpet Cutter



14022
14022A

carpet cutter
blade replacement

Cushion Back Cutter



14024

Duckbill Napping Shear

Utility shears 7"



14031

12.4x5.4,31.5x13.7cm



14032

Scissors Shears



14033

Carpet Rolling Trolley

Wheel-Lock, which features lockable wheels for great stability when loaded



Item No.	Size	Remark
14051	25x25x18cm	2pcs/set, 10.5kgs/set


Carpet Track Strip



14101A	122CM*2.2CM, 1 row
14101B	122CM*2.5CM,2 rows
14101C	122CM*3CM, 3 rows

Carpet Edge

Aluminum, can make on size request



14201	T shape
14202	L shape

Tools Kit for Carpet Flooring



Dt01	14002 knee kicker x1
	14004 hear iron x1
	13002 shark knift x1
	14011carpet knife x1
	14014 heat tape x1
	knee pads x1

Direct Market Co., Ltd

Tel: +8613787209092、18173135020

Email: info@spikedroller.com/siekabin@gmail.com

Web: www.spikedroller.com

Add: Longxishunjin Glg 1-105,Jianshou Road, Liuyang

Sieka Deng-Direct Market
WhatsApp 联系人



Whatsapp



Wechat SCAN

- Drywall Tools
- Tile, glass



2023

Direct Market Co., Ltd

Address: Longxishunjin Glg 1-105, Jianshou Road, Liuyang Industrial Park, Changsha, Huanan, China 410300

Mobile: +86 18173135020 Tel: +86-137-87209092 / 731--82806590 Fax: +86-731--82806580

Website: www.spikedroller.com Email: info@spikedroller.com; siekabin@gmail.com

• Drywall

Gypsum Board Cutter

High Accuracy Portable Gypsum Board Cutter, blade replaceable



Item No.	Size
191101	width 20cm-60cm, max cutting 10mm
191102	width20cm-60cm, max cutting 12mm
191103	width20cm-50cm, max cutting 13mm
191104	Aluminum alloy folding gypsum board cutting artifact
191105	Supreme aluminum alloy stainless steel gypsum board cutting artifact yellow

Drywall Sander

Variable speed drywall sander with w/ Vacuum and LED Light, is specially designed for sanding walls and ceilings!



Item No.	Size	Remark
19112	1300W	with vacum, 3.3kgs

Gypsum Board Trimmer



19113A	155*58mm
19113B	142*55mm

Wallpaper Spiked Roller

This wallpaper perforator will score all types of wall covering to allow steam to penetrate effectively.



Item No.	Size	Remark
15001		steel spikes

Wallpaper Brush



Item No.	Size	Remark
15011		

Wallpaper Brush



Item No.	Size	Remark
WT447	30.5x5.5cm	

Electric Drywall Chaser Planer

Electric Wall Chaser Groove Cutting Machine Wall Slotting Machine Concrete Planer



Item No.	Size	Remark
19114	width, 150mm, depth 1-4m	electric, 220V

Gypsum Board Cutter, Drawer

One hand tool with measuring tape and utility knife – measure, mark and cut drywall, shingles, insulation, tile, carpet, foam – measure and mark wood for rip cuts



Item No.	Size	Remark
19116	23x11x7.5cm	can draw a circle line

Radial Sander

Radius 360 Drywall Sander. A MUST for all painters for sanding between coats, with labour saving of up to half the sanding time



Item No.	Size	Remark
19117-1	9in	sander paper changeable



19117-2	9in	plastic handle
---------	-----	----------------

Board Stand Holder



19118

Stainless Steel Round Cutting Tool Drywall Plasterboard Drill



19119

Popular Electric Wall Planer



19120
19120A

Electric Wall Planer + 25 cutter head

8"10"12" Drywall Flat Finishing Box



19121-1
19121-2
19121-3
19121P

8"
10"
12"
pole

Rotable Sander Trowel



19125



19126

DRYWALL STILTS



19127-1	15-23inch
19127-2	18-30inch
19127-3	24-40inch
19127-4	48-64inch

Drywall Taping Tool

Diy drywall taping tool - one step drywall tape and mud applicator tool - professional drywall taping results - for wall construction & repair - less sanding, less mess & stress



Item No.	Size	Remark
19201	515x170x30mm	

Drywall Tape Holder

An excellent tool for the drywall finisher. Made of steel for longer lifer. Hold drywall tape as well as metal corner tape. Hangs from belt for easy access



Item No.	Size	Remark
19202		

Geared Tape Wheel

天津中德五金工具有限公司



19203


Stucco Sprayer Jet

4 jet wall sprayer - stucco sprayer - plaster sprayer - cement mortar spray gun hopper concrete stucco plaster paint wall



Item No.	Size	Remark
19210-1		for wall
19210-2		for ceiling

Drywall Skimming Blade Set



19312

size available
15,25,45,60,80cm

Drywall Lift



19313

max loading 67kgs


Air Spray Gun



Item No.	Size	Remark
W71	1.5ml, 600ml	up or down
W77	2.5mm, 1000ml	up or down

Brick Jointer

Interchangeable brick builder barrel jointer



Item No.	Size	Remark
19310		

Skate Wheel Joint Raker



Item No.	Size	Remark
19311		

Safety Nailer



11002

Multi function Universal Small Electric Drill Stand



11003

Keel pliers



11010
11011

adjustable Hole circule for steel sheet



11020

Tile, glass

Vacuum Suction Cup

Super strong glass suction cup vacuum glass lifter with metal handle and brass pump, heavy duty power-grip industrial suction plate for granite & glass lifting car window replacement



Item No.
21021-1

Size
200mm

Remark
single rubber



21022-1
21022-1P
21022-2

With barometer
plastic box
Without barometer

All steel framework
All steel framework
All steel framework



21023

Double rubber sole

Vacuum Suction Cup,Heavy Duty Two cups



Item No.
21002

Size

Remark

Vacuum Suction Cup,90 degree



Item No.
21003

Size
90 degree

Remark

90 Degree vacuum cup



Item No.	Size	Remark
21004-1	90 degree	6in
21004-2	90 degree	8in

Mini Suction Cup



Item No.	Size	Remark
21005	4.5in	35kgs vertical

Glass Suction Cup Vacuum Lifter



Item No.	Size	Remark
21006	10in	80kgs vertical

Suction Cup, angle adjustable

A practical tool for affixing cabinets, mirrors and glass panes at acute or obtuse angles.



Item No.	Size	Remark
21007	2 cups	degree

Electric Vacuum Suction Cup

Heavy duty glass lifter hand pump suction cups with pressure gauge, for stone/tiles/granite/concrete pavers & drywall



Item No.	Size	Remark
21008	300x180x110mm	16V Lithium-Ion 2.2Ah Battery

Battery Suction cup



Item No. 21009	Size	Remark
-------------------	------	--------

2-Plastic Suction Cup



21010

Angle adjustable arc suction cup



Item No. 21011	Size	Remark
-------------------	------	--------

Glass Vaccum Suctoin Lifter



Item No. 21012-1 21012-2	Size 6cups 12cups	Remark Max 150kgs Max 200kgs
--------------------------------	-------------------------	------------------------------------

Wire Wheel Brush



21013	4in	steel wire
-------	-----	------------

Silicone Caulking Tools



21024

Blade Scraper



21025

tile beauty sewing tool



21026

Bricklaying puller



21027



21030



21031

Glass Breaking Nippers

Durable heavy glass breaking nippers tile glass cutter for flash line.



Item No.	Size	Remark
21101	23cm	1-15mm porcelain tiles,1-

Tile Level Locator, single post

Tile locator wall tile level regulator heighter leveler , single column diameter 6.8cm



Item No.	Size	Remark
21106	1 columns , dia 6.8cm	one post

Tile Level Locator,three post

Tile locator wall tile level regulator heighter leveler



Item No.	Size	Remark
21107	3 columns, dia 10cm	3 post top, thick chassis

Handed Stone Carrying Clamps

Double Handed Stone Carrying Clamps with Rubber-lined, Portorage Tools for Transporting of Glass Slabs/ Metal Sheet/Granite Island/Countertop -- Set of 2



Item No.	Size	Remark
21108	320*280*130mm	

Hole Opener Precise



21109-1	4-83mm, 036kg	Maximum width 14cm, length 16.5cm
21109-2	4-83mm, 0.5kg	Maximum width 20cm, length 28cm

Door Use Board Lifter



21110-1	all steel	
21110-2	The new 188 has a travel lift of 10cm, a maximum lifting weight of 120kg and a maximum bearing capacity of 240kg	
21110-3	The new 288 has a travel lift of 20cm, a maximum lifting weight of 120kg and a maximum bearing capacity of 240kg	

Stainless Steel Ceramic Tile Hole Locator



21111	40cm	0.5kg
-------	------	-------


Ceramic Tile Hole Locator



21112		0.3kg
-------	--	-------

Use Leveling Wall Tile

Hand Floor Pliers



21113-1		
21113-3	3~12mm	Maximum width240mm, length 120mm

Laser Level Horizon Vertical Measure



21215

Multifunctional Cross Level Laser Level



21216

40M Digital Laser Tape Measure Point



21217

Right Angle 90 Degree Laser Level



21218

USB Rechargeable Cross Line laser Measure Tape



21219

21220

Panel Cart



21301

Ceramic Tile Machine



21310

Direct Market Co., Ltd

Tel: +8613787209092、18173135020

Email: info@spikedroller.com/siekabin@gmail.com

Web: www.spikedroller.com

Add: Longxishunjin Glg 1-105,Jianshou Road,

Sieka Deng-Direct Market
WhatsApp 联系人



Whatsapp



Wechat SCAN

- **Carpenter Tools**



2023

Direct Market Co., Ltd

Address: Longxishunjin Glg 1-105, Jianshou Road, Liuyang Industrial Park, Changsha, Huanan, China 410300

Mobile: +86 18173135020 Tel: +86-137-87209092 / 731--82806590 Fax: +86-731--82806580

Website: www.spikedroller.com Email: info@spikedroller.com; siekabin@gmail.com

•Carpenter Tool

DRYWALL FOOT LIFTER



11001

Cabinet Hardware Jig



16001

Precision Ruler with Hook Stop



16002

Folding Triangle Ruler, Triangle Angle Ruler



16003

Tee Ruler, L Square, Scale Ruler



16004

Miter Saw Protractor



16005

Alumimum Alloy Metric Imperial



- | | |
|---------|----------------|
| 16007-1 | grey, 7",130g |
| 16007-2 | grey,12",470g |
| 16007-3 | black,7",190g |
| 16007-4 | black,12",540g |
| 16007-5 | blue,7",190g |
| 16007-6 | blue,12",540g |
| 16007-7 | red,7".190g |

Door Lifter



16008
16008

90 Degree Right Angle Clip



16009

90 Degree Right Angle Clip Clamp Tool Single Handle Alumin




16010-1

Double Handle 90 Degree Right Angle Clamp



16011

Carpenter Hole Locator



16012

Solid Wood Door Hole Opener



16013

Smoothing Plane



16014

25*12*6

16015-1

16*4.5cm

16015-2

13.5*4cm

Oblique Hole Locator



16016

9.5mm

Woodworking Scriber



16017-1

Scope of application:100cm

16017-2

Scope of application:60cm

Stainless Steel Double-Bar Scriber



16018

200mm


Woodworking F Clamps



16019

160*60mm

Drilling Guide



16020

58mm


2Pcs/Set Automatic Tile Suction Cups



16021

245*147*125mm

2 in 1 Punch Positioner



16022

180mm

Desktop Quick Fixing Clamp



16023

Clamping up to 127mm, maximum opening up to 155mm

Woodworking V-Clamp



16024


length 255mm and the maximum opening can reach 8cm

Right Angle Clamp



16025-1

length 305mm and the maximum opening can reach 102mm



16025-2

length 255mm and the maximum opening can reach 80mm

Jig Drill Guide Cabinet Door Installation



16026

35mm

C-Clamps



16027

33*23*5cm

Extension Wrench



16028

44.5*13*3.5cm

3-In-1 Multifunctional Door Lifter



16029

19*7.8*4.2cm


Wood Clamp Panel Connectors Right Angle Clip Set



16030

18*10*10cm

Positioning Cutter Guide



16031

23*4.4*3cm

Mini Ebony Carpenter'S Plane



16032

Planer width: 25mm
planer length: 40mm

Fixed Clamp



16033

25*6*4cm

2In1 Center Drill Bit Hole Puncher



16034

14*9*6cm


Opener Saw Cutter



16035

13*12.5*13cm

Woodworkers Edge Rule



16036-1

10in


16036-2

15in

16036-3

20in

One TIME Tool




- 16037-1 90 degrees
- 16037-2 Triangle 45 degrees + 90 degrees

Square Slot Cutter



- 16038-1 Black / Silver Square
- 16038-2 Black / silver rectangle
- 16038-3 Silver / Black combination

Right Angle Clamps



- 16039-1 120mm 3-piece set
- 16039-2 120mm 6-Piece set
- 16039-3 140mm 3-piece set
- 16039-4 140mm 6-Piece set
- 16039-5 160mm 3-piece set
- 16039-6 160mm 6-Piece set
- 16039-7 100mm 3-piece set
- 16039-8 100mm 6-Piece set

Miter Saw Protractor



16040

Square Locator



16041

Woodworking Drill Locator



16042-1

Plastic body red / Black

16042-2

Aluminum alloy body red


16042-3

Aluminum alloy body black

16042-4

Material: 304 stainless steel + national standard aluminum alloy

Woodworking handle punch positioner



16043-1

Aluminum alloy positioner

16043-2

ABS movable slider mold scale

Device Irregular Shape Contour Ruler



16044-1

6 inch + 10 inch metal lock + ruler + Pencil + screwdriver

16044-2

5 inch + 10 inch metal lock set

16044-3

6 inch + 10 inch metal lock set

16044-4

5 inch + 10 inch metal lock + ruler + Pencil + screwdriver

16044-5

5-inch metal lock

16044-6

6-inch widened metal lock

16044-7

10 inch wide metal lock

Laminate Installation Kit Set




16045-1	33cm long, small head thinning (no knock block)
16045-2	28cm long, small head thinning (no knock block)
16045-3	28cm long small head thinning + knock block length 14 high 8
16045-4	28cm long small head thinning + knock block length 12 high 8
16045-5	28cm long, (no small head,no knock block)
16045-6	39cm long, small head thinning (no knock block)

Edge Banding Trimmer Manual Cutter Tool Edge Scraper



16046-1	Straight edge
16046-2	Curved edge
16046-3	Straight edge + curved edge

ABS Blue Compatible With Vinyl Planks Flooring Spacers



16047-1	Floor cushion block 20 piece set
16047-2	Big suit

Multifunctional Miter Saw Box Cabinet



16048-1	12 inch clip back saw (handle can rotate)
16048-2	12 inch ordinary oblique saw cabinet
16048-3	14 inch clampable diagonal saw cabinet
16048-4	14 inch widened diagonal saw cabinet
16048-5	14 inch upgraded diagonal saw cabinet (with clamping column)

Carpenter Precision Pencil Compasses




16049-1	25*90cm
16049-2	40*150cm

Adjustable 90 Degree Angle Right Clip



16050	Clamping range: 0-95mm collet width: 35mm collet depth: 30mm
-------	--

T-Type Hole Ruler



16051-1	6 inches
16051-2	12 inches
16051-3	6-inch right angle

Ruler Woodworking Tool Aluminum Push Handle Miter



16053

Wheel Marking Gauge



16054

Grinder Sanding Disc



16055-1	16mm
16055-2	22mm

Polished Root Carving Tea Tray Polishing Wheel



16056-1	85mm arc
16056-2	100mm plane
16056-3	Large arc 100mm
16056-4	Small arc 75mm
16056-5	84mm inner diameter 10

Teeth Angle Grinder Disc Milling Cutter



16057-1	8 teeth blue/red/black arc
16057-2	6 Leaf Knife Blue/Red
16057-3	42mm blue inner groove 6 teeth arc/flat
16057-4	6 Teeth Blue Arc/Flat

Combination Square Set Multi-Purpose



16058-1	12 inch yellow base 300MM (card)
16058-2	12 inch green base 300MM (card)
16058-3	3-piece set of multi- purpose square ruler 300MM (basic package)
16058-4	3-piece set of multi- purpose square ruler 600MM
16058-5	3 sets of 300MM (card mounted)

Quick Woodworking Clip Carbon Steel F Shaped Clip



16059-1	4" clamping force: 11KG, total length: 195mm, maximum clampable length: 103mm
16059-2	6" steel rail, total length: 328mm, maximum clip length: 150MM
16059-3	8" steel rail, total length: 375mm, maximum clip length: 200mm
16059-4	10" Steel Track Overall Length: 42mm Maximum Clampable Length 253mm
16059-5	12" Steel Track Overall Length: 4mm Maximum Clampable Length 312mm
16059-6	18" total length: 62mm maximum clip length 450mm
16059-7	24" Overall Length: 780mm Maximum Clampable Length 597mm

Spring Clamp



16060-1	2" Size; 6.5*1.1Cm Max Opening: 3CM Material: Nylon+Carbon Steel
16060-2	3" size; 9.2*1.2Cm Max opening: 4.5CM Material: Nylon+Carbon steel
16060-3	4" size; 10.5*2.2cm Max opening: 4.7CM Material: Nylon+Carbon steel
16060-4	4.5" size; 11.6*2.4cm Max opening: 5.5CM Material: Nylon+Carbon steel
16060-5	6" size; 16.8*2.7cm Max opening: 7.5CM Material: Nylon+Carbon steel
16060-6	9" Size; 21.6*2.8cm Max Opening: 11CM Material: Nylon+Carbon Steel

Jig Woodworking Drilling Guide Hole Locator



16061

90 degree woodworking right angle clamp 4pcs



16062

Multifunctional Square 45/90 Degree Gauge Angle Ruler



16063-1

45 degrees + 45 degrees
black

16063-2


45 degrees + 90 degrees
black

180 Degree Angle Combination Square Protractor Universal Bevel Ruler Set



16064

Universal angle ruler 0-320 °



16065

Two In One Digital Display Angle Ruler



16066-1

200mm black/transparent ruler body angle ruler“

16066-2

200mm black/transparent ruler with battery

16066-3

300mm black body angle ruler

16066-4

300mm black angle ruler with battery

Woodworking hole opener



16067



16068

Hole Saw Set



16069

Stair ruler



A



B

16070-1

11-60inch


New metal A

16070-2

New metal B

16070-3

New metal C



C

Direct Market Co., Ltd

Tel: +8613787209092、18173135020

Email: info@spikedroller.com/siekabin@gmail.com

Web: www.spikedroller.com

Add: Longxishunjin Glg 1-105,Jianshou Road, Liuyang

Sieka Deng-Direct Market
WhatsApp 联系人



Whatsapp



Wechat SCAN

•Art

loop roller



Item No.
93109

size
9in

93209

9in

Spike Multi-purpose Brush



RCY412R
RCY410G
RCY412G
RCY410R

14*14CM
12*10CM
14*14CM
12*10CM

Long Multi-purpose Bursh



EG019

15.3*10cm



EG019Q

11*7.4cm



EG019T

23.5*13.5cm

T Sryle spike Multi-purpose Brush



EG019J
EG019JW

15cm
20cm

T Sryle Multi-purpose Brush



EG019L
EG019W

15cm
20cm

Multi -purpose Brush



EG019-40A	39.5*2.5cm
EG019S-20A	19.5*2.5cm
EG019S-40A	39.5*2.5cm

Rubber Roller




2201TS	8"
2202TS	8"
2203TS	8"
2204TS	8"
2301T	8"

Pressing Roller



EG008A	4" φ4.8cm
EG008	7" φ4.8cm
EG008-4	4"φ3.2cm
EG008-6	6"φ3.2cm



EG009B	4"
EG009A	5"
EG009	8"

White Plastic Art Roller



EG718	9"
EG719-4	4"
EG719-7	7"
EG720-4	4"
EG720-7	7"

Composite Velvet Roller




70827P	7"
--------	----

Woolen Roller



801	7"
-----	----

Sponge Twining Roller



804	7"
-----	----

Direct Market Co., Ltd

Tel: +8613787209092、18173135020

Email: info@spikedroller.com/siekabin@gmail.com

Web: www.spikedroller.com

Add: Longxishunjin Glg 1-105,Jianshou Road, Liuyang

Sieka Deng-Direct Market
WhatsApp 联系人



Whatsapp



Wechat SCAN

Vertical/Fin Fiberglass Roller

Aluminum fin laminating roller, one of the most common consolidation rollers now has many benefits.



Item No.	Size
7110101	Ø10x25mm
7110102	Ø10x50mm
7110103	Ø10x75mm
71102	Ø15x50(75,100)mm
71103	Ø12.7x50 (75,100,125,150)mm
71104	Ø16x50(75,100,125,150) mm
71105	Ø20x50(75,100,125,150,2 00)mm
71106	Ø25x50(75,100,125,150,2 00)mm
71107	Ø30x75(100,125,150,200) mm
71108	Ø45x100(125,150,200,25 0,500)mm
71109	Ø50x100(125,150,200,25 0,500)mm

Paddle Fiberglass Rollers

Aluminum paddle fiberglass roller, quick wet out air bubble remove on a large surface.



Item No.	Size	Remark
7100101	Ø12.7x50)mm	
7100102	Ø12.7x75mm	
7100103	Ø12.7x100mm	
7100104	Ø12.7x125mm	
7100105	Ø12.7x150mm	
7100106	Ø12.7x200mm	
7100201	Ø20x50mm	
7100202	Ø20x75mm	
7100203	Ø20x100mm	
7100204	Ø20x125mm	
7100205	Ø20x150mm	
7100206	Ø20x200mm	
71003	Ø25x50/75/100/125/150/2 00mm	
7100401	Ø30x50/75/100/150/200m m	
7100501	Ø38x50/75/100/150/200m m	
7100601	Ø45x50/75/100/150/200m m	

Fiberglass Spiked Roller

Mixing strength of paddle and fin roller. Particularly good for glassfiber coating, VOC resins,high viscosity resins.



Item No.	Size
71201	Ø12.7x25(50,75,100,125,150,200)mm
71202	Ø19x25(50,75,100,125,150,200)mm
71203	Ø20x50(75,100,125,150,200)mm
71204	Ø25x50(75,100,125,150,200,250)mm
71205	Ø30x50(75,100,125,150,200,250)mm
71206	Ø45x50(75,100,125,150,200,250)mm

Fiberglass Radius Laminating Roller

Aluminum radius roller for airing



Item No.	Size
71401	Ø12.5×50×200(250)mm
71402	Ø19×50×100(125)mm
71403	Ø19×75×250(275,300)mm
71404	Ø19×100×375(400,425)mm
71405	Ø25×50×75(100)mm
71406	Ø25×75×125(150,175)mm
71407	Ø25×100×250(275,300)mm
71408	Ø30×50×50(75)mm
71409	Ø30×75×100(125)mm
71410	Ø30×100×150(175,200,225,250)mm

Fiberglass Corne/Angle Rollers

For narrow gaps and small corners.



Item No.	Size
71501	Ø40x7(10,13,16)mm
71502	Ø50x5(7.5,10,12.5,15)mm

Fiberglass Bubble Rollers



Item No.	Size
71601	Ø19x75mm
71602	Ø19x100mm

Catalyst Measuring Dispenser Bottle

Flexible polythene bottles allow single handed operation to accurately dispense liquid such as catalyst into an engraved calibrated output chamber. Use for chemical industrial, cosmetic, paint measuring and so on. A type with cape for safety.



Item No.	Size	Remark
D701A	bottle=1000ml	measuring dispensor 150ml
D701B	bottle=500ml	measuring dispensor 15ml
D701C	bottle=500ml	measuring dispensor 65ml

Automatic Tie Wire Twister

Wire twister features heavy-duty, galvanized-steel construction with a unique spring-return action saves time and increases efficiency. To tie wires, simply insert hook of wire tie twister into both tie loops of wire, pull handle and tool automatically twists wire tightly.



Item No.	Size	Remark
1502	30cm	automatic

Direct Market Co., Ltd

Tel: +8613787209092、18173135020
Email: info@spikedroller.com/siekabin@gmail.com
Web: www.spikedroller.com
Add: Longxishunjin Glg 1-105,Jianshou Road, Liuyang

Sieka Deng-Direct Market
WhatsApp 联系人



Whatsapp



Wechat SCAN

Other Tool

Reacher Grabber



11004

Can Opener



11005

Angle Adaptor



11006



11007

Craftright Sheet Metal Nibbler Cutter



11008

Seaming Machine Base



11009

Professional Electric Staple Gun



11101-1
11101-2
11101-3
11101-4
11101-5
11101-6
11101-7
11101A

F30 422 dual use + spare firing pin
F30 straight nail single use + spare firing pin
1022 yard nail single use + spare firing pin
F30 422 dual purpose
F30 straight nail single use
1022 yard nail single use
Upgraded F30 single use (6-speed regulation)
Nailers & Staplers



11102

F30 Staple Gun



11103

ST18 steel Staple Gun (can penetrate the red wall)

Manual steel Staple Gun



11104

Semi automatic
nail St15 / ST18

Burnishing Polishing Machine



11105-1
11105-2
11105-3
11105-4
11105R


(without wheel for burnish machinel)
(with 80 wheel for burnish machinel * 1)
(with 80 wheel for burnish machinel * 2)
(with steel wheel for burnish machinel * 1)
rubber wheel for burnish machine

Burnisher & Pipe Belt Sander



11106

Wheels Mover Dollys



11107

Load capacity: 225kg, lifting height: 1cm

Bracket Caster Wheel



11108

Load capacity:135kg

Portable Mover Triangle Iron Mover




11109

Furniture weight shifter



- | | |
|---------|--------------|
| 11110-1 | 5-piece set |
| 11110-2 | 8-piece set |
| 11110-3 | 13 piece set |

Tactical Nylon Belt



11111

15*10*6cm


6 Wheels Folding Portable Handle Cart



11112

Maximum load: 300kg, material: PA66, handrail type: folding, handrail height: 870mm

Power Sheet Metal Shear



11113

Material: high carbon steel, alloy steel, total length: 150mm, maximum shearable cold rolled iron plate: 0-1.5 (mm)

Multipurpose Heavy Duty Foldable Trolley



11114

40*50*8cm 3kg

Universal Spanner Double Wrench



11115

0.2kg

Hand Chain Grinder



11116

Glue Guns



11117-1

21V

11117-2

16.8V

Caulk Nozzle



11118

6 PCS Tube Expander Drill Bits Set



11119

7/8 (22.2mm) 3/4 (19mm) 5/8 (15.9mm)
1/2 (12.7mm) 3/8 (9.5mm) 1/4 (6.3mm)

Glue Nozzle Locator



11120

Hand Push Measuring Instrument Roller Ruler Range Finder



11121-1	Mechanical wheel	0.75kg
11121-2	Mechanical large wheel belt lamp	1.4kg
11121-3	Mechanical wheel brake	1.4kg

Miniature Bench Table Vise



11122

Deburring External Chamfer Tool



11123-1	Triangle 6 groove
	Hexagon 3 groove
	Hexagon 6 groove

Tree Climbing Artifact Climbing Tree Set



11201



11202



11203

Lawn Mower Blade



11204-1	Red five leaf knife plastic bag	100pcs/ctn 27kgs
11204-2	Red five leaf blade plastic clip	42*26*38cm
11204-3	Red 6 knife black knife plastic bag	
11204-4	Red / Green / Black / blue 6-knife black knife card installation	
11204-5	Red 6-knife black tooth plastic bag / card insert	

Integrated tile opener



11205	0.4kg	50pcs/ctn 18kgs
		51*35*40cm

portable gardening assistant



11206	14*14.5cm	0.6kg
-------	-----------	-------

Multifunctional Socket Quick Ratchet Wrench



11207-1	Torque extension wrench	0.25kg
11207-2	3 / 8 hoist wrench	
11207-3	Magic wrench	

Universal Flaring Tool Set



11209

Copper Pipe Expander



11210

14mm Strong Pipe Bender



11211

three in one pipe bender



11212

15 + 22mm pipe bender



11213

Bearing pipe cutter 6-70mm



11214

Stainless steel hole saw



11215

Marble hole opener



11216

Hole Opener Cutter Tool



11217

Extension Sleeve Of Electric wrench



11218

Brazed diamond bit



11219

Stainless steel cement caulking gun



11220

electric logging saw



11221

Electric weeder



11222

21V lithium battery branch shear



11223

Mini Ski Skates



11224

Lifting Ring



11230

Metal Body Surform Plane



11302

Aviation Snips Straight Cut



11303

Hand saw



11304

Mini handmade wall saw



11305

scraper scrubber



11306

Direct Market Co., Ltd

Tel: +8613787209092、18173135020

Email: info@spikedroller.com/siekabin@gmail.com

Web: www.spikedroller.com

Add: Longxishunjin Glg 1-105,Jianshou Road, Liuyang

Sieka Deng-Direct Market
WhatsApp 联系人



Whatsapp



Wechat SCAN